

# Interzoll Case



Detailed product information can be found on [www.bopla.de](http://www.bopla.de)



- project-specific enclosures using stamping and bending technology
- Variants: Console enclosures, desktop enclosures, DIN rail enclosures, monitor enclosures, cavity wall installation enclosures, 19" enclosures
- small production runs (50 pieces)
- Interzoll Case 19" acc. to DIN IEC 60297-3-101

**Colour:**  
project-specific


**Protection class:**  
Depending on enclosure construction up to IP 40 / DIN EN 60529;  
higher project-specific protection classes on request

**Enclosure material:**  
Individually manufactured, for example of aluminium, steel or stainless steel. Other materials and surface coatings available on request at any time.

# A cost-effective metal enclosure – individual and tailor-made




Metal enclosures – cost-effective and tailor-made.



Fast implementation thanks to pre-constructed enclosure concept.




Differing enclosure concepts or design ideas possible for shape and colour.



Enclosure break-throughs and holders for circuit boards allow flexible implementation. Ventilation openings can be provided on request in the entire basic body.



Printing makes individual designs for the enclosure possible.




Numerous surface improvements



Pre-destined for integration of membrane keypads and touch screens.



Good heat dissipation and stability



EMC and ESD version on request

## Interzoll Case | 19" enclosures



### 19" enclosures, 1 U

Model	Order no.	A	B	C	Note
IC/Z 18180	<b>28618180*</b>	43,6	482,6	180	
IC/Z 18180-EMV	<b>28618181*</b>	43,6	482,6	180	EMC version
IC/Z 24180	<b>28624180*</b>	43,6	482,6	240	
IC/Z 24180-EMV	<b>28624181*</b>	43,6	482,6	240	EMC version
IC/Z 30180	<b>28630180*</b>	43,6	482,6	300	
IC/Z 30180-EMV	<b>28630181*</b>	43,6	482,6	300	EMC version

Scope of delivery for construction proposal: Enclosure body, lid, front panel and fixing material

Enclosure material for construction proposal:

- Enclosure body and lid: untreated aluminium
- Front panel: anodised aluminium front side and rear side
- EMC front panel: aluminium, anodised front, passivated rear side

Note: Not a stock article - enclosures are made to customers' specifications.



### 19" enclosures, 2 U

Model	Order no.	A	B	C	Note
IC/Z 18280	<b>28618280*</b>	88,1	482,6	180	
IC/Z 18280-EMV	<b>28618281*</b>	88,1	482,6	180	EMC version
IC/Z 24280	<b>28624280*</b>	88,1	482,6	240	
IC/Z 24280-EMV	<b>28624281*</b>	88,1	482,6	240	EMC version
IC/Z 30280	<b>28630280*</b>	88,1	482,6	300	
IC/Z 30280-EMV	<b>28630281*</b>	88,1	482,6	300	EMC version

Scope of delivery for construction proposal: Enclosure body, lid, front panel and fixing material

Enclosure material for construction proposal:

- Enclosure body and lid: untreated aluminium
- Front panel: anodised aluminium front side and rear side
- EMC front panel: aluminium, anodised front, passivated rear side

Note: Not a stock article - enclosures are made to customers' specifications.



### 19" enclosures, 3 U


Model	Order no.	A	B	C	Note
IC/Z 18380	<b>28618380*</b>	132,5	482,6	180	
IC/Z 18380-EMV	<b>28618381*</b>	132,5	482,6	180	EMC version
IC/Z 24380	<b>28624380*</b>	132,5	482,6	240	
IC/Z 24380-EMV	<b>28624381*</b>	132,5	482,6	240	EMC version
IC/Z 30380	<b>28630380*</b>	132,5	482,6	300	
IC/Z 30380-EMV	<b>28630381*</b>	132,5	482,6	300	EMC version

Scope of delivery for construction proposal: Enclosure body, lid, front panel and fixing material

Enclosure material for construction proposal:

- Enclosure body and lid: untreated aluminium
- Front panel: anodised aluminium front side and rear side
- EMC front panel: aluminium, anodised front, passivated rear side

Note: Not a stock article - enclosures are made to customers' specifications.



Z-2903706